

Dr. SHAVETA BHARDWAJ

Psychologist | Hypnotherapist | Counsellor

Panic Attack Monitoring Sheet

| o F i | Ill out one form for each separate panic attack during a two-week period. |
|----------------|---|
| D | ate: Duration (minutes): |
| ln | tensity of panic (rate 5 to 10 using the Anxiety Scale that follows): |
| A | ntecedents |
| 1. | Stress level during preceding day (rate on a 1 to 10 scale where 1 is the lowest stress level and 10 is the highest): |
| 2. 3. 4. | Alone or with someone? |
| | If with someone, was it a family member, friend, stranger? |
| | Your mood for three hours preceding panic attack: |
| | Anxious |
| | Depressed |
| | Excited |
| | Angry |
| | Sad |
| | Other (specify) |
| 5. | If with someone, was it a family member, friend, stranger? |
| 6. | Were you engaging in negative or fearful thoughts before you panicked? Yes No |
| 7. | Were you tired or rested? |
| 8. | Were you experiencing some kind of emotional upset or loss? Yes No |
| 9. | Were you feeling hot cold neither ? |
| 10 | Were you feeling restless and impatient? Yes No |
| 10. 11. | Were you asleen before you panicked? Yes No |
| | Did you consume caffeine or sugar within eight hours before you panicked? Yes No |
| | If yes, how much? |
| 13 | Have you noticed any other circumstances that correlate with your panic reactions? |

